



































ltechnogamma

At Technogamma, we're committed to setting new standards in domestic and industrial heating solutions. With a focus on modern technologies, user convenience, and safety, our innovative products are designed to meet the diverse needs of both residential and industrial environments. As you explore our printed materials, discover why Technogamma is your trusted partner for all your heating needs and requirements.

Stylish Pellet Stove Controller: One of our top products - **tPell GFX** controller ensures

smooth operation of pellet heating devices in residential and industrial settings, with a sleek design and intuitive interface.

VERSATILE PRODUCT RANGE

WHY **CHOOSE** US?

SEAMLESS CONNECTIVITY

Always Connected:

Internet Remote Control service **tRemote** offers constant access to your heating system, allowing real-time monitoring and adjustments from anywhere.

TAILORED SOLUTIONS

Customized for Your Needs:

From homes to industrial facilities, our range includes solutions like UPS for heating systems and pellet controllers, prioritizing safety, comfort, and efficiency.

llechnogamma

PELLET COMBUSTION **CONTROLLER PLATFORM**

Pellet combustion controller platform, focused on providing the best user experience, using modern technologies and advanced control algorithms.





The product design is focused on the easy and convenient setup, ensuring the smooth installation process of the heating system. Furthermore, internet monitoring and event logging makes the tuning of system performance easy.

MAIN FEATURES:

- State of the art control process
- Intuitive UI with graphical display
- Flexible configuration all process parameters can be adjusted
- Week timer

- Service parameters in categories with text labels
- **Event and error logging**
- Fuel consumption graphs
- Multiple languages
- Fuzzy logic temperature control algorithm for optimal power modulation

llechnogamma

PELLET STOVE CONTROLLER



MODERN LOOK&FEEL:

GFX is high-end product, offering contemporary smooth UI for smartphone like user experience.

The display module design along with user experience, matching smartphone apps, gives the user the looks and feel of interacting with premium present-day technology.

Model: GFX

01	02	03
Sleek display design	Multi touch 4.3" IPS 480x272px display	High brightness and wide viewing angles
04	05	06
Rich graphics	Intuitive menu navigation	Smooth animations
07	08	09
Swiping gestures	Automatic brightness	Fuel usage chart
10	11	12
Easy installation with single click	OTA updates	Powerful microcontroller @480MHz

llechnogamma

PELLET BURNER CONTROLLER



EFFORTLESS EFFICIENCY:

The **tPell Touch** controller is the core of every pellet heating device. It makes sure that the combustion process runs smoothly and safely, but also manages the whole heating system. Its modern design and compact body make it the perfect finishing touch of every pellet device!

Model: tPell Touch

- COMPACT BODY SUITABLE FOR PELLET BURNERS
- CAPACITIVE TOUCH BUTTONS
- GRAPHICAL DISPLAY FOR EASY AND INTUITIVE CONTROL
- MAIN FEEDER PROTECTION THROUGH RELAY
- EASY INSTALLATION WITH A SINGLE BRACKET
- RICH PERIPHERY: 9 INPUTS & 7 OUTPUTS
- OTA UPDATES

YES! WIFI IS INTEGRATED!

AND
A MOBILE APP...





25.2°
(-) 26.0° (+)
(-) Burn
(-) Burn
(-) Heating mode
(-) (19.4 kW)
(-) (19.4 kW)
(-) (25.2°
(-) (26.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (3.0° (+)
(-) (

LTE 🔳 🗈

WEEK

- Mobile application for iOS and Android
- Clean design
- Detailed monitoring of device parameters
- Fuel consumption chart
- User actions and errors log

Week timer

:20 🕸 🗂 🖨 😘

Home

DATA

HISTORY

EVENTS

- Service parameters adjustment
- Device configuration upload
- User management and service access control
- Firmware update

ltechnogamma

GET IN TOUCH

Thank you for choosing Technogamma, where professionalism and reliability converge to engineer specialized products tailored to your needs with precision and dedication.

+359 32 699-240

info@technogamma.bg

https://www.technogamma.bg

2024

